

## DS-1FPA1

### Face plate 1 port

#### Key Feature


- Used in industrial, commercial, and residential buildings.
- Suitable for installing components for voice and data connection applications.
- Special forward extraction design, convenient for maintenance.
- With computer and telephone icon, easy for mark.
- Shutter structure, preventing dust into the jacks, convenient for plug inserting and pulling out.
- Modular design with hidden screw holes.
- Compliant with RoHS 2.0 and UL94V-0.



## Specification

Model	DS-1FPA1	
Product Type	Face plate	
Reference standard	TIA/EIA568-D,RoHS 2.0	
General Specifications	Color	White
	Integrated Dust Cover Type	Sliding
	Outlet Orientation	Flat
	Total Ports, quantity	1
Dimensions	Height	86.0 mm
	Width	86.0 mm
	Depth	14.5 mm
Material Specifications	Material Type	Acrylonitrile butadiene styrene (ABS)
Environmental Specifications	Flammability Rating	UL 94 V-0
Packaging and Weights	Packaging quantity	20
	Packaging Type	Box
	Packing Dimension	230 x 155 x 100 mm
	Weight	47g /PCS
		1033g /box
Accessory	Screw quantity	2
	Label icon quantity	1

## Dimension



### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com

Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision\_Global



Hikvision  
Corporate Channel



hikvisionhq

