

Product datasheet

Specifications



Empty Battery Cabinet, 1100mm wide, for Galaxy ranges

GVEBC11

Overview

Presentation	Empty battery cabinet for use with third party batteries. Battery breaker kit is required (sold separately).
Lead time	Usually Ships within 2 Weeks

Main

Product or component type	Battery cabinet
Range of product	Galaxy VM
Range compatibility	Galaxy VM
Battery type	VRLA
Provided equipment	Installation guide

Batteries & Runtime

Number of battery filled slots	0
Device mounting	Enclosed battery cabinet
battery power in VAh	0 VAh

Physical

Height	197 cm
Width	110 cm
Depth	85 cm
Net weight	230 kg

Environmental

Ambient air temperature for operation	0...40 °C
Ambient air temperature for storage	-25...55 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	210 cm
Package 1 Width	97 cm
Package 1 Length	133 cm
Package 1 Weight	250 kg

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better


 Materials and Substances	
EU RoHS Directive	Compliant
SCIP Number	Bcc48c21-81f4-41e7-bf2b-336ef659ee43
REACH Regulation	REACH Declaration
China RoHS Regulation	China RoHS declaration

Image of product / Alternate images

Alternative

