

Product datasheet

Specifications



Empty Battery Cabinet, 700mm wide

GVEBC7

Overview

Presentation	Empty battery cabinet for use with third party batteries. Battery breaker kit is required (sold separately).
Lead time	Usually Ships within 2 Weeks

Main

Product or component type	Battery cabinet
Range of product	Galaxy VS
Range compatibility	Galaxy VS
Battery type	VRLA

Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Device mounting	Enclosed battery cabinet
battery power in VAh	0 VAh

Physical

Height	197 cm
Width	70 cm
Depth	85 cm
Net weight	190 kg
Mounting mode	Not rack-mountable

Environmental

Ambient air temperature for operation	0...40 °C
Ambient air temperature for storage	-25...55 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	210 cm
Package 1 Width	97 cm
Package 1 Length	93 cm

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	205 kg
SCC14	10731304342844

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

EU RoHS Directive

Pro-active compliance
(Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

Image of product / Alternate images

Alternative



