





APC Smart-UPS On-Line SRT Battery Pack for 5/6kVA Extended runtime model 192V

SRT192BP

Overview

Lead time Usually in Stock

Main

Product or component type	Battery
Battery type	Lead-acid battery
Provided equipment	Documentation CD Installation guide Warranty card

Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Device mounting	Stand alone battery stack
Battery voltage	192 V
Number of battery replacement quantity	2
Replacement battery	APCRBC140 ☐

Physical

Colour	Black	
Height	43.2 cm	
Width	13 cm	
Depth	68.27 cm	
Net weight	91 kg	
mounting mode	Rack-mounted with kit	

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 % non-condensing
Ambient air temperature for storage	-1545 °C
Storage altitude	0.00000000004572.0000000000 m
Storage Relative Humidity	095 % non-condensing

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	42 cm
Package 1 Width	60 cm
Package 1 Length	100 cm
Package 1 Weight	101.5 kg

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information