

# Product datasheet

Specifications



## Maintenance Bypass Panel, single unit, 10-20kW 400V wallmount, for Galaxy VS and Easy UPS 3S

GVSBPUSU10K20H

### Overview

Presentation	Maintenance bypass panel for complete isolation of the UPS during service operations.
Lead time	Usually Ships within 2 Weeks

### Main

Product or component type	Panel
Range of product	Galaxy VS
Range compatibility	Galaxy VS

### Physical

Colour	White
Height	45 cm
Width	40 cm
Depth	15 cm
Net weight	12 kg

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	26.000 cm
Package 1 Width	53.000 cm
Package 1 Length	59.000 cm
Package 1 Weight	20.000 kg
Unit Type of Package 2	P12
Number of Units in Package 2	6
Package 2 Height	94.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	132.000 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

EU RoHS Directive **Compliant with Exemptions**

SCIP Number **5aa5ed58-9f72-49f2-ad76-720ad4129c6e**

REACH Regulation [REACH Declaration](#)

China RoHS Regulation [China RoHS declaration](#)

### Energy efficiency

Optimized Energy Efficiency **Energy efficient product**

## Use Again

### Repack and remanufacture

Circularity Profile

[End of Life Information](#)

---

Take-back

Yes

---