



Overview

Presentation	One battery string for the Galaxy VS UPS. This string contains 9 Ah batteries.
Lead time	Usually Ships within 2 Weeks

Main

Product or Component Type	Battery module
Range Compatibility	Galaxy VS
Battery Type	VRLA
Range of Product	Galaxy VS

Batteries & Runtime

Device mounting	Enclosed battery cabinet
Battery Voltage	120 V
Battery Volt-Amp-Hour Capacity	4320 VAh

Physical

Height	6.2 in (15.7 cm)
Width	16.9 in (42.8 cm)
Depth	29.9 in (76 cm)
Net Weight	238.10 lb(US) (108 kg)

Ordering and shipping details

	 · · · · · · · · · · · · · · · · · · ·
GTIN	731304367437

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.09 in (18 cm)
Package 1 Width	31.5 in (80 cm)
Package 1 Length	23.6 in (60 cm)
Package 1 Weight	246.9 lb(US) (112 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Mercury Free

Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

Environmental Disclosure

Product Environmental Profile

Circularity Profile

End of Life Information

Product data sheet

GVSBTH4

Image of product / Alternate images

Alternative

