Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



APC Smart-UPS SRT 96V 3kVA RM Battery Pack



SRT96RMBP

| _ | | • | • | |
|---|----|-----|----|---|
| | VР | rvi | ev | v |

Lead time Usually in Stock

Main

| Product or component type | Battery | |
|---------------------------|--|--|
| Number of rack unit | 2U | |
| Battery type | Lead-acid battery | |
| Provided equipment | Rack mounting brackets User manual Warranty card | |
| Range of product | Smart-UPS Battery Systems | |

Batteries & Runtime

| Number of battery free slots | 0 |
|--|-------------|
| Number of battery filled slots | 0 |
| Battery voltage | 96 V |
| Number of battery replacement quantity | 2 |
| Replacement battery | APCRBC152 ☐ |

Physical

| Colour | Black |
|----------------|--------------|
| Height | 8.5 cm |
| Width | 43.2 cm |
| Depth | 59.4 cm |
| Product weight | 40.6 kg |
| Mounting mode | Rack-mounted |

Conformance

Standards OSHPD

Environmental

| Ambient air temperature for operation | 040 °C |
|---------------------------------------|-----------------------|
| Operating altitude | 010000 ft |
| Relative humidity | 0 05 % non-condensing |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| Ambient air temperature for storage | -1545 °C |
|---|-----------------------|
| Storage altitude 0.000000000015240.0000000000 m | |
| Storage Relative Humidity | 0 95 % non-condensing |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|--------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 83 cm |
| Package 1 Width | 60 cm |
| Package 1 Length | 24 cm |
| Package 1 Weight | 52 kg |
| Unit Type of Package 2 | P12 |
| Number of Units in Package 2 | 8 |
| Package 2 Height | 120 cm |
| Package 2 Width | 80 cm |
| Package 2 Length | 50 cm |
| Package 2 Weight | 428 kg |

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

| ⊘ Environmental footprint | |
|---|-------------------------------|
| Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) | 204 |
| Environmental Disclosure | Product Environmental Profile |

Use Better

| Materials and Substances | |
|--|--------------------------------------|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| SCIP Number | 488c31fb-3af8-42cf-9558-1362d000a07e |
| China RoHS Regulation | China RoHS declaration |

Use Again

| ○ Repack and remanufacture | | |
|----------------------------|-------------------------|--|
| Circularity Profile | End of Life Information | |
| Removable battery | User replaceable | |
| Take-back | Yes | |